	Application No.	Applicant(s)	$\mathcal{O}_{\mathcal{O}}$
Notice of Allowability	09/599,334	GRAF ET AL.	1
	Examiner	Art Unit	Ţ,
	Patricia M Bianco	3762	,
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this or other appropriate communicat GHTS. This application is subject	application. If not inclu tion will be mailed in du	uded ue course. THIS
1. X This communication is responsive to <u>9/3/04</u> .			
2. \boxtimes The allowed claim(s) is/are 7 and 9-13.			
3. 🔀 The drawings filed on <u>22 June 2000</u> are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No cuments have been received in th	nis national stage appli	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a replENT of this application.	ply complying with the	requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🔲 hereto or 2) 🔲 ːto Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIA FOR THE DEPOSIT OF BIOLOG	AL must be submitted SICAL MATERIAL	1. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summ Paper No./Mail 08), 7. ⊠ Examiner's Ame	Date	·

Application/Control Number: 09/599,334

Art Unit: 3762

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Hughes on November 24th, 2004.

The application has been amended as follows:

In claim 9, line 1, delete "8" and add - - 7- - after the words of claim.

Claims 1-6 have been cancelled.

REASONS FOR ALLOWANCE

Claims 7 and 9-13 are allowed.

This application is in condition for allowance except for the presence of claims 1 to 6, directed to an invention non-elected with traverse in the reply filed on 10/16/02.

This application is in condition for allowance except for the presence of claims 1-6, non-elected without traverse. Accordingly, claims 1-6 been cancelled (see above).

The following is an examiner's statement of reasons for allowance:

The subject matter of the independent claims could either not be found or was not suggested in the prior art of record. The subject matter not found was the limitation that

Application/Control Number: 09/599,334

Art Unit: 3762

requires the first device for measuring at least a first measured or predetermined flow rate and a second measured or predetermined flow rate selected from the group of a blood flow rate, dialysis fluid flow rate, and an ultrafiltration rate and a computer unit configured to establish at least one of a clearance and a dialysance at the first flow rate and determine the at least one of the clearance and dialysance on the basis of the at least one clearance and dialysance established at the first flow rate in combination with the other elements (or steps) in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia M Bianco whose telephone number is (571) 272-4940. The examiner can normally be reached on Monday to Friday 9:00-6:30, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/599,334

Art Unit: 3762

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 24th, 2004

Patricia M Bianco Primary Examiner Art Unit 3762

PATRICIA BIANCO
PRIMARY EXABIRES